

Medida	IC/RV	Uso	Capas	Tipo de Pared	Rin Recomendado	Presión de aire Máx.		Carga Máxima		Diámetro Exterior		Ancho de Sección		Ancho de Banda		Profundidad		Radio Estático de Carga	RPM	Circunferencia de Rodado
						psi	kg	lb	mm	pulg	mm	pulg	mm	pulg	mm	pulg (32")				

60

235/60R17H	102H	H	04	DSB	7.0	51	850	1874	711	28.0	246	9.7	188	7.4	7.6	9.5	324	741	2169
235/60R18H	103H	-	04	DSB	7.5	51	875	1929	737	29.0	249	9.8	180	7.1	8.5	10.8	337	716	2246

55

175/55R15H XL	79H	K	04	DSB	5.5	50	437	963	554	21.8	201	7.9	140	5.5	7.4	9.3	257	952	1689
185/55R15H	82H	D	04	DSB	6.0	51	475	1047	582	22.9	208	8.2	144	5.7	8.1	10.1	268	906	1775
185/55R15T	82T	D	04	DSB	6.0	51	475	1047	582	22.9	208	8.2	144	5.7	8.1	10.1	268	906	1775
195/55R15V	85V	-	04	DSB	6.0	51	515	1135	591	23.3	213	8.4	156	6.1	7.6	9.5	272	892	1803
195/55R16H	87H	J	04	DSB	6.0	44	545	1201	615	24.2	214	8.4	156	6.1	8.0	10.0	284	858	1875
205/55R16H	91H	V	04	DSB	6.5	51	615	1356	630	24.8	162	6.4	163	6.4	8.0	10.0	290	837	1921
P205/55R16H	91H	J	04	DSB	7.0	51	615	1356	629	24.8	230	9.1	158	6.2	7.1	8.9	290	839	1918
205/55R17H	91H	V	04	DSB	7.0	51	615	1356	657	25.9	233	9.2	164	6.5	8.0	10.0	303	803	2003
205/55R17V	91V	H	04	DSB	8.0	51	615	1356	657	25.9	233	9.2	164	6.5	8.0	10.0	303	803	2003
215/55R16H	93H	J	04	DSB	7.0	51	650	1433	638	25.1	231	9.1	166	6.5	7.7	9.7	293	827	1946
215/55R16H XL	97H	F	04	RSB	7.0	44	730	1609	638	25.1	231	9.1	171	6.7	7.8	9.8	293	827	1946
215/55R17H	94H	V	04	DSB	7.0	51	670	1477	669	26.3	238	9.4	171	6.7	8.0	10.0	308	788	2040
215/55R17V	94V	H	04	DSB	7.0	51	670	1477	663	26.1	237	9.3	180	7.1	8.2	10.3	306	795	2022
P215/55R17V	94V	-	04	DSB	7.0	51	670	1477	665	26.2	237	9.3	180	7.1	8.0	10.0	306	793	2028
215/55R18H	94H	E	04	DSB	7.0	44	670	1477	692	27.2	233	9.2	188	7.4	9.1	11.5	320	762	2110
225/55R16V	95V	-	04	RSB	7.0	51	690	1521	650	25.6	245	9.6	179	7.0	7.8	9.8	298	811	1983
225/55R17H	97H	V	04	DSB	7.0	51	730	1609	677	26.6	253	10.0	179	7.0	8.3	10.5	311	779	2064
225/55R17V	97V	A-	04	DSB	7.0	51	730	1609	677	26.6	253	10.0	179	7.0	8.3	10.5	311	779	2064
P225/55R17H	95H	G	04	DSB	7.5	51	690	1521	677	26.7	240	9.4	184	7.2	7.3	9.2	311	779	2064
225/55R18H	98H	A-	04	DSB	7.0	51	750	1653	702	27.6	253	10.0	179	7.0	8.3	10.5	324	751	2141
225/55R19H	99H	A-	04	DSB	7.0	51	775	1709	728	28.7	253	10.0	179	7.0	8.3	10.5	336	725	2219
235/55R17H	99H	-	04	DSB	7.5	51	775	1709	686	27.0	253	10.0	188	7.4	8.3	10.5	315	769	2092
235/55R17W	99W	A-	04	DSB	7.5	51	775	1709	688	27.1	254	10.0	188	7.4	8.3	10.5	315	766	2099
235/55R18H	100H	H	04	DSB	7.0	44	825	1764	708	27.9	248	9.8	180	7.1	8.3	10.4	326	745	2160
235/55R19H	101H	H	04	DSB	7.5	44	825	1819	738	29.0	257	10.1	184	7.2	8.3	10.4	340	715	2250

50

205/50R17H	89H	S	04	DSB	6.5	51	580	1519	636.4	25.1	230	9.1	170	6.7	8	10.0	295.0	829.0	1941
205/50R17H XL	93H	IF	04	DSB	6.5	50	650	1433	634	25.0	224	8.8	164	6.5	7.8	9.8	294	832	1934
205/50R17V	89V	S	04	DSB	6.5	51	580	1279	636	25.1	230	9.1	170	6.7	8.0	10.0	295	829	1941
205/50R17V XL	93V	-	04	DSB	6.5	50	650	1433	634	25.0	224	8.8	164	6.5	7.8	9.8	294	832	1934
215/50R17V	91V	F	04	DSB	7.0	44	615	1356	646	25.4	246	9.7	180	7.1	7.8	9.8	299	817	1969
215/50R17V XL	95V	-	04	DSB	7.0	50	690	1521	644	25.4	238	9.4	171	6.7	8.3	10.5	298	819	1964
P215/50R17H	90H	G	04	DSB	7.0	44	600	1352	641	25.2	235	9.3	166	6.5	8.0	10.0	297	824	1953
225/50R17V	94V	-	04	DSB	7.0	51	670	1477	654	25.8	247	9.7	179	7.0	8.3	10.5	302	806	1995
235/50R17V	96V	-	04	DSB	7.5	51	710	1565	664	26.1	257	10.1	198	7.8	8.0	10.0	306	794	2025
235/50R18V	97V	-	04	DSB	7.5	44	730	1609	684	26.9	254	10.0	186	7.3	7.8	9.8	316	772	2084
235/50R19H	101H	AG	04	DSB	7.5	51	725	1819	739	29.1	257	10.1	184	7.2	8.3	10.5	341	713	2254
235/50R19V	101V	H	04	DSB	7.5	44	725	1819	738	29.0	257	10.1	184	7.2	8.3	10.4	340	712	2250
P235/50R19H	99H	G	04	DSB	7.0	44	775	1709	718	28.3	245	9.6	205	8.1	8.2	10.3	333	735	2189
245/50R17V	99V	A-	04	DSB	7.5	51	775	1709	675	26.6	272	10.7	196	7.7	8.3	10.5	310	781	2059

45

195/45R16V	80V	K	04	DSB	6.5	51	450	992	578	22.8	203	8.0	164	6.5	7.6	9.5	270	912	1763
195/45R17V XL	84V	N	04	DSB	6.5	50	500	1102	577	22.7	211	8.3	162	6.4	8.2	10.3	269	914	1760
205/45R17V	84V	J	04	RSB	7.0	44	500	1102	612	24.1	216	8.5	168	6.6	7.8	9.8	286	862	1866
205/45R17V XL	88V	H	04	DSB	7.0	50	560	1235	614	24.2	213	8.4	180	7.1	7.8	9.8	286	859	1872
215/45R17H	89H	H	04	DSB	7.0	51	580	1279	649	25.6	222	8.7	181	7.1	7.8	9.8	303	813	1979
215/45R17V XL	91V	-	04	DSB	7.0	50	615	1356	622	24.5	221	8.7	181	7.1	8.3	10.5	290	848	1897

Medida	IC/RV	Uso	Capas	Tipo de Pared	Rin Recomendado	Presión de aire Máx.		Carga Máxima		Diámetro Exterior		Ancho de Sección		Ancho de Banda		Profundidad		Radio Estático de Carga	RPM	Circunferencia de Rodado
						psi	kg	lb	mm	pulg	mm	pulg	mm	pulg	mm	pulg (32")				

45

P215/45R17W	93W	J	04	DSB	7.0	50	650	1433	648	25.5	221	8.7	181	7.1	8.0	10.0	302	814	1975
215/45R18H	89H	R	04	DSB	7.0	51	580	1279	647	25.5	220	8.7	181	7.1	8.0	10.0	302	815	1973
215/45R18V	89V	R	04	DSB	7.0	51	580	1279	647	25.5	220	8.7	181	7.1	8.0	10.0	302	815	1973
P215/45R18H	89H	G	04	DSB	7.0	51	580	1279	647	25.5	220	8.7	181	7.1	8.0	10.0	302	815	1973
225/45R17H	91H	V	04	DSB	7.0	51	615	1356	632	24.9	236	9.3	190	7.5	8.0	10.0	293	835	1927
225/45R17W	91W	H	04	DSB	7.5	51	615	1356	633	24.9	239	9.4	188	7.4	7.9	9.9	294	834	1929
P225/45R17H	91H	G	04	DSB	7.5	51	615	1356	633	24.9	239	9.4	188	7.4	7.9	9.9	294	834	1929
P225/45R17V	91V	J	04	DSB	7.5	51	615	1356	633	24.9	239	9.4	188	7.4	7.9	9.9	294	834	1929
225/45R18H	91H	V	04	DSB	7.5	51	615	1356	657	25.9	238	9.4	180	7.1	8.0	10.0	306	802	2005
225/45R18V	91V	-	04	DSB	7.5	51	615	1356	656	25.8	233	9.2	190	7.5	8.3	10.5	305	805	1999
225/45R18V XL	95V	H	04	RSB	7.5	50	690	1521	654	25.7	233	9.2	180	7.1	8.0	10.0	305	807	1994
235/45R17H	94H	-	04	DSB	8.0	51	670	1477	640	25.2	244	9.6	198	7.8	8.3	10.5	297	824	1952
235/45R18V	94V	J	04	DSB	8.0	51	670	1477	664	26.1	245	9.6	196	7.7	8.5	10.3	309	794	2025
P235/45R18V	94V	J	04	DSB	8.0	51	670	1477	664	26.1	245	9.6	196	7.7	8.5	10.3	309	794	2025
245/45R18V	96V	-	04	DSB	8.0	51	710	1565	674	26.5	251	9.9	206	8.1	8.3	10.5	312	783	2054
245/45R18W	96W	S	04	DSB	8.0	51	710	1565	675	26.6	253	10.0	206	8.1	8.3	10.5	313	782	2057
245/45R19H	98H	H	04	DSB	7.5	51	750	1653	695	27.4	254	10.0	202	8.0	8.1	10.1	324	759	2120
245/45R20V	101V	-	04	DSB	7.5	50	875	1929	724	28.5	251	9.9	213	8.4	8.7	11.0	338	728	2209

40

225/40R18W	88W	H	04	DSB	8.0	51	560	1235	637	25.1	242	9.5	193	7.6	8.5	10.8	298	828	1942
225/40R18H XL	88H	A	04	DSB	7.5	44	56	1235	634	25.0	241	9.5	184	7.2	7.8	9.8	297	832	1933
225/40R18V XL	88V	S	04	DSB	7.5	44	56	1235	634	25.0	241	9.5	184	7.2	7.8	9.8	297	832	1933
P225/40R18V	88V	G	04	DSB	7.5	44	560	1235	634	25.0	241	9.5	184	7.2	7.8	9.8	297	832	1933
235/40R18H	88H	F	04	DSB	8.5	50	690	1521	642	25.3	249	9.8	197	7.8	7.6	9.5	300	822	1956
235/40R18H	95H	CF	04	DSB	8.5	50	690	1521	642	25.3	249	9.8	197	7.8	7.6	9.5	300	822	1956
235/40R18V	95V	F	04	DSB	8.5	50	690	1521	642	25.3	249	9.8	197	7.8	7.6	9.5	300	822	1956
235/40R18W	95W	N	04	DSB	8.5	50	690	1521	642	25.3	249	9.8	197	7.8	7.6	9.5	300	822	1956
235/40R19V	92V	J	04	DSB	8.0	51	630	1389	667	26.3	249	9.8	205	8.1	8.0	10.0	313	791	2034
235/40R19V XL	96V	T	04	DSB	8.0	50	710	1565	670	26.4	248	9.8	210	8.3	7.3	9.2	314	787	2043
235/40R19W XL	96W	T	04	DSB	8.0	50	710	1565	670	26.4	248	9.8	210	8.3	7.3	9.2	314	787	2043
245/40R18V XL	100V	-	04	DSB	8.0	50	800	1764	674	26.6	255	10.0	210	8.3	7.8	9.8	313	782	2056
245/40R19V	94V	S	04	DSB	8.5	51	670	1477	675	26.6	256	10.1	206	8.1	8.3	10.5	316	781	2058
245/40R19V XL	98V	H	04	DSB	8.5	50	750	1653	673	26.5	256	10.1	213	8.4	5.0	8.4	315	784	2052
245/40R19W	94W	S	04	DSB	8.5	51	670	1477	675	26.6	256	10.1	206	8.1	8.3	10.5	316	781	2058

35

245/35R20W XL	95W	S	04	DSB	8.5	50	690	1521	676	26.6	256	10.1	213	8.4	8.7	11.0	319	780	2063
---------------	-----	---	----	-----	-----	----	-----	------	-----	------	-----	------	-----	-----	-----	------	-----	-----	------

30

245/30R20Y XL	90Y	S	04	DSB	8.5	50	600	1323	653.4	25.7	259	10.2	220	8.7	8	10.0	310.0	807.0	1992
---------------	-----	---	----	-----	-----	----	-----	------	-------	------	-----	------	-----	-----	---	------	-------	-------	------

H436B

60

225/60R18H XL	104H	EW	04	DSB	6.5	50	900	1984	727	28.6	242	9.5	180	7.1	7.6	9.5	333	726	2216
---------------	------	----	----	-----	-----	----	-----	------	-----	------	-----	-----	-----	-----	-----	-----	-----	-----	------

55

205/55R17H	91H	EB	04	DSB	6.5	51	615	1356	657	25.9	221	8.7	166	6.5	7.8	9.8	303	803	2003
------------	-----	----	----	-----	-----	----	-----	------	-----	------	-----	-----	-----	-----	-----	-----	-----	-----	------

45

225/45R18H	91V	EB	04	DSB	7.5	51	615	1356	656	25.8	233	9.2	190	7.5	8.3	10.5	305	805	1999
------------	-----	----	----	-----	-----	----	-----	------	-----	------	-----	-----	-----	-----	-----	------	-----	-----	------