

Medida	IC/RV	Uso	Capas	Tipo de Pared	Rin Recomendado	Presión de aire Máx.		Carga Máxima		Diámetro Exterior		Ancho de Sección		Ancho de Banda		Profundidad		Radio Estático de Carga	RPM	Circunferencia de Rodado
						psi	kg	lb	mm	pulg	mm	pulg	mm	pulg	mm	pulg (32")				

45

225/45R17V	91V	EC	04	DSB	7.5	51	615	1356	630	24.8	241	9.5	190	7.5	7.4	9.3	293	837	1921
225/45R17W	91W	EV	04	DSB	7.5	51	615	1356	633	24.9	239	9.4	190	7.5	8.0	10.0	294	834	1929
225/45R17Y	91Y	U	04	DSB	7.5	51	615	1356	633	24.9	239	9.4	194	7.6	7.4	9.3	294	834	1929
225/45R18V	91V	CV	04	DSB	7.5	51	615	1356	653	25.7	239	9.4	190	7.5	7.6	9.5	304	808	1991
225/45R18W	91W	EB	04	DSB	7.5	51	615	1356	653	25.7	239	9.4	190	7.5	7.6	9.5	304	808	1991
225/45R18W XL	95W	EB	04	DSB	7.5	50	690	1521	656	25.8	233	9.2	188	7.4	8.0	10.0	305	805	1999
225/45R18Y	91Y	H	04	DSB	7.5	51	615	1356	653	25.7	239	9.4	190	7.5	7.6	9.5	304	808	1991
225/45R18Y XL	95Y	C	04	DSB	7.5	50	690	1521	656	25.8	234	9.2	196	7.7	8.0	10.0	305	805	1999
225/45R19W	92W	CG	04	DSB	7.5	51	630	1389	681	26.8	235	9.3	184	7.2	8.0	10.0	318	775	2076
225/45RF17W	91W	V	04	DSB	7.5	51	615	1356	631	24.9	233	9.2	196	7.7	8.3	10.5	293	836	1925
225/45RF18Y XL	95Y	V	04	DSB	7.5	50	690	1521	656	25.8	234	9.2	196	7.7	8.0	10.0	305	805	1999
225/45ZR17W XL	94W	C	04	DSB	7.5	50	670	1477	628	24.7	234	9.2	196	7.7	8.0	10.0	292	839	1916
225/45ZR17Y	94Y	EA	04	DSB	7.5	50	670	1477	628	24.7	233	9.2	196	7.7	8.3	10.5	292	839	1916
225/45ZR17Y XL	94Y	E	04	DSB	7.5	50	670	1477	628	24.7	233	9.2	196	7.7	8.3	10.5	292	839	1916
225/45ZR18Y XL	95Y	E	04	DSB	7.5	50	690	1521	654	25.7	233	9.2	196	7.7	8.0	10.0	305	807	1993
225/45ZR19W XL	95W	E	04	DSB	7.5	50	690	1521	691	27.2	233	9.2	196	7.7	8.0	10.0	322	763	2107
235/45R17Y XL	97Y	C	04	DSB	8.0	50	730	1609	640	25.2	244	9.6	204	8.0	8.0	10.0	297	824	1952
235/45R18V	94V	CD	04	DSB	8.0	51	670	1477	668	26.3	248	9.8	196	7.7	8.0	10.0	310	790	2037
235/45R18W	94W	CG	04	ASB	8.0	51	670	1477	668	26.3	248	9.8	196	7.7	8.0	10.0	310	790	2037
235/45R18Y XL	98Y	C	04	DSB	8.0	50	750	1653	666	26.2	244	9.6	204	8.0	8.0	10.0	309	792	2030
235/45ZR17Y XL	97Y	E	04	DSB	8.0	50	730	1609	638	25.1	244	9.6	204	8.0	8.0	10.0	296	827	1946
235/45ZR18Y XL	98Y	E	04	DSB	8.0	50	750	1653	664	26.1	244	9.6	204	8.0	8.0	10.0	309	795	2023
235/45ZR19W XL	99W	E	04	DSB	8.0	50	775	1709	691	27.2	244	9.6	198	7.8	8.0	10.0	322	763	2107
235/45ZR19Y XL	99Y	-	04	DSB	8.0	50	775	1709	691	27.2	244	9.6	198	7.8	8.0	10.0	322	763	2107
245/45R17W	95W	EB	04	DSB	8.5	51	690	1521	648	25.5	260	10.2	204	8.0	7.6	9.5	300	814	1976
245/45R17Y XL	99Y	C	04	DSB	8.0	50	775	1709	648	25.5	257	10.1	213	8.4	8.0	10.0	300	814	1977
245/45R18V	96V	CM	04	DSB	8.0	51	710	1565	673	26.5	261	10.3	214	8.4	8.0	10.0	312	784	2052
245/45R18W	96W	G	04	DSB	8.0	51	710	1565	674	26.5	254	10.0	214	8.4	7.8	9.8	312	783	2054
245/45R18W XL	100W	CT	04	DSB	7.5	50	800	1764	674	26.5	251	9.9	212	8.3	8.0	10.0	312	783	2054
245/45R18Y XL	100Y	EB	04	DSB	7.5	50	800	1764	674	26.5	251	9.9	212	8.3	8.0	10.0	312	783	2054
245/45R19W	98W	H	04	DSB	7.5	51	750	1653	695	27.4	255	10.0	202	8.0	7.8	9.8	324	759	2119
245/45R19W XL	102W	H	04	DSB	8.0	50	850	1874	699	27.5	257	10.1	213	8.4	8.0	10.0	325	755	2131
245/45R19Y XL	102Y	C	04	DSB	8.0	50	850	1874	699	27.5	257	10.1	213	8.4	8.0	10.0	325	755	2131
245/45RF17W	95W	E	04	VS	8.0	51	690	1521	647	25.5	257	10.1	213	8.4	8.0	10.0	299	816	1972
245/45RF18Y	96Y	E	04	VS	8.0	51	710	1565	672	26.4	257	10.1	213	8.4	8.0	10.0	312	785	2048
245/45RF18Y XL	100Y	E	04	DSB	8.0	50	800	1764	674	26.5	257	10.1	213	8.4	8.0	10.0	312	783	2054
245/45ZR17Y	95Y	EA	04	DSB	8.5	51	690	1521	652	25.7	264	10.4	216	8.5	7.8	9.8	301	809	1988
245/45ZR17Y XL	99Y	E	04	DSB	8.0	50	775	1709	646	25.4	251	9.9	213	8.4	8.0	10.0	299	816	1970
245/45ZR18Y XL	100Y	E	04	DSB	8.0	50	800	1764	672	26.4	251	9.9	213	8.4	8.0	10.0	312	785	2048
245/45ZR19Y XL	102Y	-	04	DSB	8.0	50	850	1874	697	27.4	251	9.9	213	8.4	8.0	10.0	324	757	2125
255/45R17Y XL	102Y	C	04	DSB	8.5	50	850	1874	658	25.9	261	10.3	222	8.7	8.0	10.0	304	801	2007
255/45R18Y XL	103Y	C	04	DSB	8.5	50	875	1929	684	26.9	261	10.3	222	8.7	8.0	10.0	316	772	2084
255/45R19Y XL	104Y	C	04	DSB	8.5	50	900	1984	707	27.8	263	10.4	222	8.7	8.0	10.0	328	746	2156
255/45ZR18Y XL	103Y	-	04	DSB	8.5	50	900	1984	707	27.8	263	10.4	222	8.7	8.0	10.0	328	746	2156
255/45ZR19Y XL	104Y	-	04	VS	8.5	50	900	1984	707	27.8	263	10.4	222	8.7	8.0	10.0	328	746	2156
265/45R20Y	103Y	V	04	DSB	9.0	50	875	1929	742	29.2	274	10.8	231	9.1	7.8	9.8	345	710	2264
275/45R18Y	103Y	C	04	DSB	9.0	51	875	1929	702	27.6	287	11.3	239	9.4	8.0	10.0	323	752	2139
275/45R19Y XL	108Y	C	04	DSB	9.0	50	1000	2205	727	28.6	287	11.3	239	9.4	8.0	10.0	336	725	2217
275/45ZR18Y XL	107Y	-	04	DSB	9.0	50	975	2149	700	27.5	281	11.1	239	9.4	8.0	10.0	323	754	2133

40

215/40ZR18Y XL	89Y	E	04	VS	7.5	50	580	1279	624	24.6	226	8.9	187	7.4	8.0	10.0	293	846	1901
225/40R18Y	89Y	ET	04	DSB	8.0	50	580	1279	634	24.9	238	9.4	196	7.7	8.0	10.0	297	832	1932
225/40R18Y XL	92Y	U	04	DSB	8.0	50	630	1389	634	24.9	238	9.4	196	7.7	8.0	10.0	297	832	1932

Medida	IC/RV	Uso	Capas	Tipo de Pared	Rin Recomendado	Presión de aire Máx.		Carga Máxima		Diámetro Exterior		Ancho de Sección		Ancho de Banda		Profundidad		Radio Estático de Carga	RPM	Circunferencia de Rodado
						psi	kg	lb	mm	pulg	mm	pulg	mm	pulg	mm	pulg (32")				

40

225/40R19W	93W	EB	04	DSB	8.0	50	650	1433	659	25.9	238	9.4	196	7.7	7.8	9.8	310	801	2009
225/40R19Y	93Y	H	04	DSB	8.0	50	650	1433	659	25.9	238	9.4	196	7.7	7.8	9.8	310	801	2009
225/40RF18W	88W	-	04	DSB	8.0	51	560	1235	635	25.0	238	9.4	190	7.5	8.0	10.0	297	831	1935
225/40RF18Y	88Y	E-	04	DSB	8.0	51	560	1235	632	24.9	238	9.4	196	7.7	8.0	10.0	296	835	1926
225/40ZR18Y XL	92Y	EA	04	VS	8.0	50	630	1389	632	24.9	238	9.4	196	7.7	8.0	10.0	296	835	1926
225/40ZR19Y XL	93Y	-	04	DSB	8.0	50	650	1433	657	25.9	238	9.4	196	7.7	8.0	10.0	309	803	2003
235/40R18Y XL	95Y	C-	04	DSB	8.5	50	690	1521	642	25.3	249	9.8	204	8.0	8.0	10.0	300	822	1956
235/40R19Y XL	96Y	EA	04	DSB	8.0	50	710	1565	670	26.4	248	9.8	210	8.3	7.3	9.2	314	787	2043
235/40ZR18Y XL	95Y	-	04	DSB	8.5	50	690	1521	640	25.2	249	9.8	204	8.0	7.6	9.5	299	825	1950
235/40ZR19Y	93Y	ES	04	DSB	8.5	50	650	1433	665	26.2	249	9.8	204	8.0	8.0	10.0	312	793	2028
235/40ZR19Y XL	96Y	E-	04	VS	8.5	50	710	1565	665	26.2	249	9.8	204	8.0	8.0	10.0	312	793	2028
245/40R18Y	93Y	EA	04	DSB	8.5	51	650	1433	651	25.6	267	10.5	213	8.4	7.8	9.8	304	810	1985
245/40R18Y XL	97Y	C-	04	DSB	8.5	50	730	1609	650	25.6	256	10.1	212	8.3	8.0	10.0	303	812	1981
245/40R19Y XL	98Y	EB	04	DSB	8.5	50	750	1653	673	26.5	256	10.1	213	8.4	8.0	10.0	315	784	2052
245/40R20W	96W	H	04	DSB	8.5	50	710	1565	700	27.6	256	10.1	213	8.4	7.8	9.8	329	753	2136
245/40R20Y XL	99Y	C-	04	DSB	8.5	50	775	1709	700	27.6	256	10.1	213	8.4	7.8	9.8	329	753	2136
245/40RF18W	93W	-	04	VS	8.5	51	650	1433	648	25.5	256	10.1	213	8.4	8.0	10.0	302	814	1975
245/40RF18Y XL	96Y	V	04	DSB	8.5	51	710	1565	648	25.5	256	10.1	213	8.4	8.0	10.0	302	814	1975
245/40ZR17Y XL	95Y	-	04	DSB	8.5	50	690	1521	622	24.5	256	10.1	213	8.4	8.0	10.0	290	848	1897
245/40ZR18Y	93Y	EA	04	DSB	8.5	51	650	1433	649	25.5	260	10.2	232	9.1	5.0	6.4	303	813	1978
245/40ZR18Y XL	97Y	-	04	DSB	8.5	50	730	1609	648	25.5	258	10.2	213	8.4	8.0	10.0	302	814	1975
245/40ZR19Y XL	98Y	-	04	DSB	8.5	50	750	1653	673	26.5	256	10.1	213	8.4	8.0	10.0	315	784	2052
245/40ZR20Y XL	99Y	E-	04	SBL	8.5	50	775	1709	698	27.5	256	10.1	213	8.4	8.0	10.0	328	755	2130
255/40R18Y	95W	H	04	DSB	9.0	51	690	1521	658	25.9	268	10.6	215	8.5	8.0	10.0	306	802	2005
255/40R18Y XL	99Y	C-	04	DSB	9.0	50	775	1709	658	25.9	268	10.6	222	8.7	8.0	10.0	306	802	2005
255/40R19Y XL	100Y	C-	04	DSB	9.0	50	800	1764	681	26.8	268	10.6	222	8.7	8.0	10.0	318	774	2077
255/40R20Y XL	101Y	C-	04	DSB	9.0	50	825	1819	708	27.9	268	10.6	222	8.7	8.0	10.0	332	745	2160
255/40RF17W	94W	-	04	DSB	9.0	51	670	1477	630	24.8	268	10.6	215	8.5	8.0	10.0	293	837	1922
255/40ZR17Y XL	98Y	-	04	DSB	9.0	50	750	1653	630	24.8	268	10.6	222	8.7	8.0	10.0	293	837	1922
255/40ZR18Y XL	99Y	E-	04	DSB	9.0	50	775	1709	657	25.9	268	10.6	222	8.7	8.0	10.0	306	803	2003
255/40ZR19Y XL	100Y	E-	04	DSB	9.0	50	800	1764	681	26.8	268	10.6	222	8.7	8.0	10.0	318	774	2077
255/40ZR20Y XL	101Y	-	04	DSB	9.0	50	825	1819	709	27.9	277	10.9	214	8.4	7.6	9.5	332	744	2161
255/40ZR21Y XL	105Y	-	04	DSB	9.5	50	925	2039	709	27.9	277	10.9	214	8.4	7.6	9.5	347	713	2256
265/40R18Y XL	101Y	C-	04	DSB	9.5	50	825	1819	664	26.1	269	10.6	231	9.1	8.0	10.0	309	795	2023
265/40R20Y XL	104Y	EA	04	DSB	9.5	50	900	1984	716	28.2	279	11.0	231	9.1	7.8	9.8	335	736	2185
265/40R21Y XL	105Y	T	04	DSB	9.5	50	925	2039	740	29.1	279	11.0	231	9.1	8.0	10.0	347	713	2256
265/40ZR18Y XL	101Y	E-	04	DSB	9.5	50	825	1819	664	26.1	279	11.0	231	9.1	8.0	10.0	309	795	2023
265/40ZR19Y	104Y	ES	04	DSB	9.5	50	900	1984	716	28.2	279	11.0	231	9.1	7.8	9.8	335	736	2185
265/40ZR20Y XL	104Y	E-	04	DSB	9.5	50	900	1984	716	28.2	279	11.0	231	9.1	7.8	9.8	335	736	2185
275/40R19W	101W	H	04	DSB	9.5	51	825	1819	696	27.4	299	11.8	239	9.4	7.4	9.3	324	758	2121
275/40R19W XL	105W	H	04	DSB	9.5	50	925	2039	697	27.4	286	11.3	239	9.4	8.0	10.0	324	757	2125
275/40R19Y XL	105Y	C-	04	DSB	9.5	50	925	2039	697	27.4	286	11.3	239	9.4	8.0	10.0	324	757	2125
275/40ZR18Y XL	103Y	-	04	DSB	9.5	50	875	1929	671	26.4	286	11.3	239	9.4	8.0	10.0	312	786	2047
275/40ZR19Y XL	105Y	-	04	VS	9.5	50	925	2039	697	27.4	286	11.3	239	9.4	8.0	10.0	324	757	2125
285/40R19Y	105Y	C-	04	DSB	9.5	50	925	2039	707	27.8	298	11.7	248	9.8	8.0	10.0	328	746	2156
285/40R19Y XL	107Y	C-	04	DSB	10.0	50	975	2149	707	27.8	298	11.7	248	9.8	8.0	10.0	328	746	2156
295/40R20Y	107Y	V	04	DSB	10.5	50	975	2149	740	29.1	309	12.2	256	10.1	7.8	9.8	344	712	2258

35

215/35ZR17Y XL	83Y	E-	04	DSB	7.5	50	487	1074	577	22.7	225	8.9	187	7.4	8.0	10.0	272	914	1760
215/35ZR19Y XL	85Y	E-	04	DSB	7.5	50	515	1135	630	24.8	224	8.8	192	7.6	8.0	10.0	298	838	1920
225/35R19Y XL	88Y	C-	04	SBL	8.0	50	560	1235	637	25.1	239	9.4	196	7.7	8.0	10.0	301	828	1942
225/35ZR19Y XL	88Y	-	04	SBL	8.0	50	560	1235	635	25.0	238	9.4	196	7.7	8.0	10.0	300	831	1936
225/35ZR20Y XL	90Y	E-	04	SBL	8.0	50	600	1323	660	26.0	238	9.4	196	7.7	8.0	10.0	313	799	2014

Medida	IC/RV	Uso	Capas	Tipo de Pared	Rin Recomendado	Presión de aire Máx.		Carga Máxima		Diámetro Exterior		Ancho de Sección		Ancho de Banda		Profundidad		Radio Estático de Carga	RPM	Circunferencia de Rodado
						psi	kg	lb	mm	pulg	mm	pulg	mm	pulg	mm	pulg (32")				

35

235/35R19Y XL	91Y	EV	04	SBL	8.5	50	615	1356	641	25.2	249	9.8	204	8.0	8.0	10.0	303	823	1955
235/35R20Y XL	92Y	EA	04	DSB	8.5	50	630	1389	666	26.2	249	9.8	204	8.0	7.6	9.5	315	792	2032
235/35ZR19Y XL	91Y	-	04	DSB	8.5	50	615	1356	641	25.2	249	9.8	204	8.0	7.6	9.5	303	823	1955
235/35ZR20Y XL	92Y	E-	04	DSB	8.5	50	630	1389	666	26.2	249	9.8	204	8.0	7.6	9.5	315	792	2032
245/35R19Y XL	93Y	C-	04	DSB	8.5	50	650	1433	651	25.6	256	10.1	212	8.3	7.8	9.8	306	810	1985
245/35ZR18Y XL	92Y	E-	04	DSB	8.5	50	630	1389	624	24.6	254	10.0	213	8.4	8.0	10.0	293	846	1901
245/35ZR19Y XL	93Y	-	04	DSB	8.5	50	650	1433	649	25.6	254	10.0	213	8.4	8.0	10.0	306	813	1979
245/35ZR20Y XL	95Y	E-	04	SBL	8.5	50	690	1521	674	26.6	254	10.0	213	8.4	7.6	9.5	318	782	2056
245/35ZR21Y XL	96Y	-	04	SBL	8.5	50	710	1565	699	27.5	254	10.0	213	8.4	8.0	10.0	331	754	2133
255/35R18Y XL	94Y	C-	04	ASB	9.0	50	670	1477	632	24.9	269	10.6	222	8.7	8.0	10.0	296	835	1926
255/35R19Y	94Y	H	04	SBL	9.0	50	670	1477	657	25.9	268	10.6	222	8.7	8.7	11.0	309	803	2003
255/35R19Y XL	96Y	EA	04	SBL	9.0	50	710	1565	657	25.9	268	10.6	222	8.7	8.7	11.0	309	803	2003
255/35R20Y XL	97Y	C-	04	DSB	9.0	50	730	1609	682	26.9	269	10.6	222	8.7	8.0	10.0	322	773	2081
255/35RF18W	90Y	-	04	DSB	9.0	51	600	1323	630	24.8	269	10.6	222	8.7	8.0	10.0	295	838	1920
255/35RF18Y	90Y	E-	04	DSB	9.0	51	600	1323	630	24.8	269	10.6	222	8.7	8.0	10.0	295	838	1920
255/35ZR18Y XL	94Y	E-	04	SBL	9.0	50	670	1477	630	24.8	266	10.5	222	8.7	8.0	10.0	295	838	1920
255/35ZR19Y XL	96Y	E-	04	DSB	9.0	50	710	1565	655	25.8	266	10.5	222	8.7	8.0	10.0	308	805	1997
255/35ZR20Y XL	97Y	E-	04	SBL	9.0	50	730	1609	680	26.8	266	10.5	222	8.7	8.0	10.0	321	775	2075
265/35R18Y XL	97Y	C-	04	DSB	9.5	50	730	1609	638	25.1	279	11.0	231	9.1	8.0	10.0	298	827	1944
265/35R19Y XL	98Y	EA	04	SBL	9.5	50	750	1653	666	26.2	280	11.0	238	9.4	7.4	9.3	312	793	2029
265/35R20Y XL	99Y	V	04	SBL	9.5	50	775	1709	690	27.2	279	11.0	230	9.1	8.7	11.0	325	764	2105
265/35ZR18Y XL	97Y	-	04	SBL	9.5	50	730	1609	638	25.1	279	11.0	231	9.1	8.0	10.0	298	827	1944
265/35ZR19Y XL	98Y	-	04	DSB	9.5	50	750	1653	663	26.1	279	11.0	231	9.1	8.0	10.0	311	795	2022
265/35ZR20Y XL	99Y	E-	04	SBL	9.5	50	775	1709	690	27.2	279	11.0	230	9.1	8.7	11.0	325	764	2105
275/35R18Y	95Y	C-	04	DSB	9.5	51	690	1521	646	25.4	284	11.2	231	9.1	8.0	10.0	302	817	1969
275/35R18Y XL	99Y	C-	04	DSB	9.5	50	775	1709	646	25.4	292	11.5	239	9.4	8.0	10.0	302	817	1969
275/35R19Y XL	100Y	C-	04	DSB	9.5	50	800	1764	672	26.4	292	11.5	239	9.4	8.0	10.0	315	785	2048
275/35R20W	102W	H	04	DSB	9.5	50	850	1874	696	27.4	284	11.2	239	9.4	7.8	9.8	327	757	2124
275/35R20Y XL	102Y	V	04	DSB	9.5	50	850	1874	696	27.4	284	11.2	239	9.4	7.8	9.8	327	757	2124
275/35ZR18Y XL	99Y	E-	04	DSB	9.5	50	775	1709	644	25.3	284	11.2	239	9.4	8.0	10.0	301	820	1962
275/35ZR19Y XL	100Y	-	04	DSB	9.5	50	800	1764	670	26.4	284	11.2	239	9.4	8.0	10.0	314	788	2042
275/35ZR20Y XL	102Y	E-	04	DSB	9.5	50	850	1874	694	27.3	284	11.2	239	9.4	8.0	10.0	326	760	
285/35R19Y	99Y	C-	04	DSB	10.0	51	775	1709	677	26.7	298	11.7	248	9.8	8.0	10.0	317	779	2064
285/35R19Y XL	103Y	C-	04	DSB	10.0	50	875	1929	679	26.7	304	12.0	248	9.8	8.0	10.0	317	777	2070
285/35R20Y XL	104Y	V	04	VSBL	10.0	50	900	1984	704	27.7	298	11.7	248	9.8	8.7	11.0	330	749	2147
285/35ZR18Y XL	101Y	E-	04	DSB	10.0	50	825	1819	652	25.7	298	11.7	248	9.8	8.0	10.0	304	809	1987
285/35ZR19Y	99Y	-	04	DSB	10.0	51	775	1709	677	26.7	298	11.7	248	9.8	8.0	10.0	317	779	2064
285/35ZR20Y XL	104Y	-	04	VSBL	10.0	50	900	1984	704	27.7	298	11.7	248	9.8	8.7	11.0	330	749	2147
295/35R18Y	99Y	C-	04	DSB	10.5	50	775	1709	660	26.0	307	12.1	256	10.1	8.0	10.0	307	800	2011
295/35R18Y XL	103Y	C-	04	DSB	10.5	50	875	1929	660	26.0	307	12.1	256	10.1	8.0	10.0	307	800	2011
295/35R20Y	101Y	C-	04	DSB	10.5	50	825	1819	710	28.0	307	12.1	256	10.1	8.0	10.0	332	743	2166
295/35R20Y XL	105Y	C-	04	DSB	10.5	50	925	2039	710	28.0	307	12.1	256	10.1	8.0	10.0	332	743	2166
305/35R21Y XL	110Y	T	04	DSB	11.0	50	1060	2337	722	28.4	326	12.8	284	11.2	7.6	9.5	337	730	2203

30

245/30ZR20Y XL	90Y	-	04	DSB	8.5	50	600	1323	653	25.7	259	10.2	220	8.7	8.0	10.0	310	807	1992
255/30R21Y XL	94Y	-	04	DSB	9.0	50	670	1477	656	25.8	276	10.9	229	9.0	8.0	10.0	311	803	2002
255/30ZR19Y XL	91Y	-	04	DSB	9.0	50	615	1356	633	24.9	272	10.7	229	9.0	8.0	10.0	299	833	1930
255/30ZR20Y XL	92Y	E-	04	SBL	9.0	50	630	1389	656	25.8	276	10.9	229	9.0	8.0	10.0	311	803	2002
255/30ZR21Y XL	94Y	-	04	DSB	9.0	50	670	1477	656	25.8	276	10.9	229	9.0	8.0	10.0	311	803	2002
265/30ZR19Y XL	93Y	E-	04	SBL	9.5	50	650	1433	637	25.1	278	10.9	239	9.4	7.6	9.5	301	828	1942
265/30ZR20Y XL	94Y	E-	04	SBL	9.5	50	670	1477	662	26.1	280	11.0	238	9.4	7.6	9.5	314	796	2020
275/30R20Y XL	97Y	EA	04	SBL	9.5	50	730	1609	671	26.4	294	11.6	248	9.8	7.4	9.3	317	786	2045
275/30ZR19Y XL	96Y	E-	04	SBL	9.5	50	710	1565	643	25.3	292	11.5	247	9.7	8.0	10.0	303	820	1961

Medida	IC/RV	Uso	Capas	Tipo de Pared	Rin Recomendado	Presión de aire Máx.		Carga Máxima		Diámetro Exterior		Ancho de Sección		Ancho de Banda		Profundidad		Radio Estático de Carga	RPM	Circunferencia de Rodado
						psi	kg	lb	mm	pulg	mm	pulg	mm	pulg	mm	pulg (32")				

30

275/30ZR20Y XL	97Y	E-	04	DSB	9.5	50	730	1609	668	26.3	292	11.5	248	9.8	7.6	9.5	316	789	2038
275/30ZR21Y XL	98Y	-	04	SBL	9.5	50	750	1653	694	27.3	292	11.5	248	9.8	8.0	10.0	329	760	2116
285/30R19Y XL	98Y	C-	04	SBL	10.0	50	750	1653	649	25.6	304	12.0	257	10.1	8.0	10.0	306	813	1979
285/30ZR19Y XL	98Y	E-	04	SBL	10.0	50	750	1653	649	25.6	304	12.0	257	10.1	8.0	10.0	306	813	1979
285/30ZR21Y XL	100Y	-	04	SBL	10.0	50	800	1764	700	27.6	304	12.0	256	10.1	8.0	10.0	331	754	2134
295/30R19Y XL	100Y	C-	04	SBL	10.5	50	800	1764	655	25.8	312	12.3	266	10.5	7.6	9.5	308	805	1997
295/30ZR19Y XL	100Y	E-	04	SBL	10.5	50	800	1764	655	25.8	312	12.3	266	10.5	7.6	9.5	308	805	1997
295/30ZR20Y XL	101Y	E-	04	SBL	10.5	50	825	1819	680	26.8	312	12.3	266	10.5	7.6	9.5	321	775	2075
305/30ZR19Y XL	102Y	E-	04	SBL	11.0	50	850	1874	661	26.0	320	12.6	274	10.8	7.6	9.5	310	798	2016
305/30ZR20Y XL	103Y	E-	04	SBL	11.0	50	875	1929	686	27.0	320	12.6	274	10.8	7.6	9.5	323	768	2093
315/30R22Y XL	111Y	T	04	DSB	11.0	50	1090	2403	743	29.3	340	13.4	271	10.7	7.3	9.2	348	710	2266
335/30ZR20Y XL	111Y	-	04	DSB	11.5	50	1090	2403	710	27.9	320	12.6	274	10.8	7.6	9.5	327	743	2164

25

295/25ZR21Y XL	95Y	-	04	SBL	10.5	50	690	1521	650	25.6	311	12.2	266	10.5	7.6	9.5	309	811	1983
305/25ZR19Y XL	96Y	-	04	SBL	11.0	50	710	1565	629	24.8	321	12.6	275	10.8	7.6	9.5	298	838	1919

K117B

60

205/60R16V	92V	CD	04	DSB	7JX16	51	630	1389	654	25.7	222	8.7	164	6.5	7.8	9.8	299	807	1994
------------	-----	----	----	-----	-------	----	-----	------	-----	------	-----	-----	-----	-----	-----	-----	-----	-----	------

55

205/55R16W	91W	CG	04	DSB	7.0	51	615	1356	627	24.7	228	9.0	167	6.6	7.6	9.5	289	842	1911
225/55R16W	95W	C-	04	DSB	7.0	51	690	1521	648	25.5	245	9.6	188	7.4	8.0	10.0	297	814	1977
225/55R17W	97W	EW	04	DSB	7.5	51	730	1609	682	26.9	244	9.6	188	7.4	7.8	9.8	313	773	2080
225/55R17Y	97Y	EB	04	DSB	7.0	51	730	1609	682	26.9	244	9.6	188	7.4	7.6	9.5	313	773	2080

50

225/50R17W	94W	EB	04	DSB	7.0	51	670	1477	656	25.8	248	9.8	187	7.4	7.8	9.8	303	804	2000
225/50R18W	95W	EW	04	DSB	7.5	51	690	1521	681	26.8	248	9.8	190	7.5	7.6	9.5	315	775	2075
245/50R18W	100W	C-	04	DSB	7.5	51	800	1764	698	27.5	277	10.9	865	34.1	8.0	10.0	322	756	2127
245/50R18Y	100Y	EW	04	DSB	7.5	51	800	1764	702	27.6	276	10.9	206	8.1	7.6	9.5	323	752	2139
245/50ZR18Y	100Y	EW	04	DSB	7.5	51	800	1764	702	27.6	276	10.9	206	8.1	7.6	9.5	323	752	2139

45

205/45R17V	84V	C-	04	DSB	7.0	51	500	1102	612	24.1	214	8.4	178	7.0	8.0	10.0	286	862	1866
205/45R17W XL	88W	EW	04	DSB	7.0	50	560	1235	614	24.2	214	8.4	180	7.1	7.6	9.5	286	859	1872
225/45R17W	91W	V	04	DSB	7.5	51	615	1356	631	24.9	238	9.4	189	7.4	7.4	9.3	293	836	1925
225/45R18V	91V	E-	04	DSB	7.5	51	615	1356	654	25.7	233	9.2	188	7.4	8.0	10.0	305	807	1993
225/45R18W	91W	EB	04	DSB	7.5	51	615	1356	653	25.7	238	9.4	190	7.5	7.6	9.5	304	808	1991
225/45R18W XL	95W	EB	04	DSB	7.5	50	690	1521	657	25.9	234	9.2	193	7.6	7.2	9.0	306	803	2003
225/45R18Y	91H	H	04	DSB	7.5	51	615	1356	657	25.9	238	9.4	180	7.1	8.0	10.0	306	802	2005
225/45R18Y XL	95Y	CD	04	DSB	7.5	50	690	1521	657	25.9	234	9.2	193	7.6	7.2	9.0	306	803	2003
225/45R19W	92W	EW	04	DSB	7.5	51	630	1389	679	26.7	235	9.3	184	7.2	8.0	10.0	317	777	2070
245/45R17W	95W	EB	04	DSB	8.0	51	690	1521	648	25.5	260	10.2	204	8.0	7.6	9.5	300	814	1976
245/45R17W XL	99W	EB	04	DSB	8.0	50	775	1709	648	25.5	251	9.9	206	8.1	8.0	10.0	300	814	1977
245/45R18Y XL	100Y	EB	04	DSB	8.0	50	800	1764	674	26.6	255	10.0	210	8.3	7.6	9.5	313	782	2056
245/45R19Y	98Y	EW	04	DSB	8.0	51	750	1653	696	27.4	263	10.3	213	8.4	7.4	9.3	324	758	2121
245/45ZR19Y	98Y	EW	04	DSB	8.0	51	750	1653	696	27.4	263	10.3	213	8.4	7.4	9.3	324	758	2121

Medida	IC/RV	Uso	Capas	Tipo de Pared	Rin Recomendado	Presión de aire Máx.		Carga Máxima		Diámetro Exterior		Ancho de Sección		Ancho de Banda		Profundidad		Radio Estático de Carga	RPM	Circunferencia de Rodado
						psi		kg	lb	mm	pulg	mm	pulg	mm	pulg	mm	pulg (32")			

40

215/40R18Y	85Y	E-	04	VS	7.5	51	515	1135	624	24.6	226	8.9	187	7.4	8.0	10.0	293	846	1901
225/40R19W	89W	EB	04	DS	8.0	51	580	1279	659	25.9	238	9.4	213	8.4	7.0	8.8	310	801	2009
225/40R19Y	89Y	H	04	DS	8.0	51	580	1279	659	25.9	238	9.4	213	8.4	7.0	8.8	310	801	2009
225/40R19Y XL	93Y	-	04	DS	8.0	50	650	1433	659	25.9	238	9.4	196	7.7	7.8	9.8	310	801	2009
245/40R18Y XL	97Y	CD	04	DS	8.5	50	730	1609	649	25.6	260	10.2	210	8.3	7.4	9.3	303	813	1979
245/40R19Y XL	98Y	EB	04	DS	8.5	50	750	1653	673	26.5	256	10.1	213	8.4	8.0	10.0	315	784	2052
255/40R18Y	95W	H	04	DS	9.0	51	690	1521	658	25.9	268	10.6	222	8.7	8.0	10.0	306	802	2005
275/40R18Y XL	103Y	EB	04	VS	9.5	50	875	1929	674	26.5	286	11.3	240	9.4	8.7	11.0	312	783	2054
275/40R19Y	101Y	EW	04	DS	9.5	51	825	1819	696	27.4	299	11.8	239	9.4	7.4	9.3	324	758	2121
275/40ZR19Y	101Y	EW	04	DS	9.5	51	825	1819	696	27.4	299	11.8	239	9.4	7.4	9.3	324	758	2121

35

225/35R19Y XL	88Y	E-	04	DS	8.0	50	560	1235	635	25.0	239	9.4	196	7.7	8.0	10.0	300	831	1936
245/35R18Y	88Y	E-	04	DS	8.5	50	560	1235	625	24.6	255	10.0	232	9.1	3.4	4.3	293	844	1905
245/35R20Y XL	95Y	EB	04	SBL	8.5	50	690	1521	674	26.6	254	10.0	213	8.4	7.6	9.5	318	782	2056
255/35R19Y	94Y	H	04	SBL	9.0	50	670	1477	657	25.9	268	10.6	222	8.7	8.7	11.0	309	803	2003
255/35R19Y XL	96Y	-	04	SBL	9.0	50	710	1565	657	25.9	268	10.6	222	8.7	8.7	11.0	309	803	2003
275/35R19Y XL	100Y	EB	04	DS	9.5	50	800	1764	672	26.4	292	11.5	239	9.4	8.0	10.0	315	785	2048

30

245/30R19Y XL	89Y	E-	04	DS	8.5	50	580	1279	628	24.7	264	10.4	220	8.7	8.0	10.0	298	840	1915
255/30R19Y XL	91Y	E-	04	DS	9.0	50	615	1356	631	24.8	276	10.9	229	9.0	8.0	10.0	299	836	1924
275/30R20Y XL	97Y	EB	04	SBL	9.5	50	730	1609	671	26.4	294	11.6	248	9.8	7.4	9.3	317	786	2045

K117RF

45

225/45R17W	91W	V	04	DS	7.0	51	615	1356	633	24.9	239	9.4	190	7.5	8.0	10.0	294	834	1929
------------	-----	---	----	----	-----	----	-----	------	-----	------	-----	-----	-----	-----	-----	------	-----	-----	------